

ENFORCER Products, Inc. P.O. Box 1060 Cartersville, GA 30120 1-888-805-HELP

Material Safety Data Sheet

and Safe Handling and Disposal Information

Section 1. Chemical Product and Company Identification

Product name Vinyl Window Cleaner

Product Code HDGVT-32

Date of issue 01/30/04 Supersedes 03/14/02

Emergency For MSDS Information:

Telephone Numbers Compliance Services (404) 352-1680

For a Medical Emergency:

INFOTRAC

(877) 541-2016 (Toll Free - Calls Recorded)

For a Transportation Emergency:

CHEMTREC

(800) 424-9300 (Toll Free - Calls Recorded)

Prepared by Compliance Services Group

Acuity Specialty Products Group 1420 Seaboard Industrial Blvd.

Atlanta, GA 30318

Section 2. Composition, Information on Ingredients

Name of Hazardous Ingredients	CAS#	∣% by Weight	Exposure Limits
ISOPROPYL ALCOHOL; ipa; dimethylcarbinol;	67-63-0	1-10	ACGIH TLV (United States).
2-propanol			TWA: 200 ppm 8 hour(s).
			OSHA PEL (United States).
			TWA: 400 ppm 8 hour(s).
			ACGIH/OSHA (United States).
			STEL: 400 ppm 15 minute(s).

Section 3. Hazards Identification

Printing Date:

Acute Effects Routes of Entry Dermal contact. Eye contact. Inhalation.

Skin Hazardous in case of skin contact (irritant). May cause slight irritation in sensitive individuals.

Prolonged or repeated contact may dry skin and cause irritation.

Eyes Hazardous in case of eye contact (irritant). Inflammation of the eye is characterized by redness,

watering, and itching.

Inhalation Harmful if inhaled. Avoid breathing vapors or spray mists. May cause respiratrory tract

irritation.

Ingestion DO NOT swallow. Can cause gastrointestinal disturbances.

Carcinogenic

Not listed as carcinogen by OSHA, NTP or IARC.

Effects

Chronic Effects Slightly hazardous in case of eye contact (irritant), of inhalation.

Over-exposure by inhalation may cause respiratory irritation.

See Toxicological Information (section 11)

Section 4. First Aid Measures

Eye Contact Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15

minutes, keeping eyelids open. Cold water may be used. Get medical attention.

Skin Contact Inhalation In case of contact, immediately flush skin with plenty of water. Get medical attention if irritation develops. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention if symptoms appear.

Ingestion Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to

an unconscious person. Get medical attention.

Section 5. Fire Fighting Measures

Flash Point Closed cup: 42.22°C (108°F). Flammable Limits LOWER: 1% UPPER: 12%

Flammability Combustible liquid and vapor.

Fire Hazard Combustible. Keep away from heat, sparks and flame.

Fire-Fighting Procedures Use DRY chemicals, CO₂, water spray or foam. Fire-fighters should wear

proper protective equipment.



HMIS

1

2

0

В

Health

Fire Hazard

Reactivity

Personal

Protection

Product Code HDGVT-32 Material Safety Data Sheet Product Name Vinyl Window Cleaner

Section 6. Accidental Release Measures

Spill Clean up Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal

Section 7. Handling and Storage

Handling Avoid contact with eyes. Avoid breathing vapors or spray mists. Use only with adequate ventilation. Keep away

from heat, sparks and flame. Keep container closed.

Keep container in a cool, well-ventilated area. Store between 40°F - 120°F (4.4°C - 49°C). Avoid all possible Storage

sources of ignition (spark or flame). Do not reuse container. Keep out of the reach of children.

Section 8. Exposure Controls, Personal Protection

Personal Protection

Protective Clothing (Pictograms)

Safety glasses. Eyes

Body Gloves. Recommended: Rubber gloves.

Respirator Use with adequate ventilation. Avoid breathing vapors or spray mists. A respirator is not needed under normal and

intended conditions of product use.

Section 9. Physical and Chemical Properties

Physical State Liquid. Color Blue. Odor Pleasant. 7.1 [Neutral.] рΗ Vapor Pressure Not determined. 96.111°C (205°F) **Boiling Point** Vapor Density Not determined. Specific Gravity 0.99 (Water = 1)Evaporation Rate 1 compared to Water

Solubility Easily soluble in cold water, hot water.

VOC (Consumer) 79 (g/l).

Section 10. Stability and Reactivity

Stability and Reactivity The product is stable.

Incompatibility Reactive with oxidizing agents.

Hazardous Polymerization Will not occur.

Hazardous Decomposition These products are carbon oxides (CO, CO₂).

Products

Section 11. Toxicological Information

Toxicity to Animals Isopropyl Alcohol:

> ORAL (LD50): Acute: 5045 mg/kg [Rat].

Section 12. Ecological Information Not available. Ecotoxicity

Biodegradable/OE(Not available.

Section 13. Disposal Considerations

Waste Information Waste must be disposed of in accordance with federal, state and local environmental control

regulations.

Waste Stream Code: D001

Consult your local or regional authorities.

Section 14. Transport Information

Proper shipping name None.

DOT Classification Not a DOT controlled material (United States).

UN number Not applicable.

TDG Classification Not a TDG controlled material.

Section 15. Regulatory Information

U.S. Federal Regulations SARA 313 toxic chemical notification and release reporting:

No products were found.

Clean Water Act (CWA) 311: No products were found.

Clean air act (CAA) 112 regulated toxic substances: No products were found.

State Regulations California prop. 65: No products were found.

WHMIS (Canada) Class B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).

Class D-2B: Material causing other toxic effects (TOXIC).

Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.